



Software Tools For Collaborative Writing

Brian Potts¹, Jacqueline DaVania¹,
Kimberly A. Barchard¹,
Wind Goodfriend², and Bettina Casad³

1. University of Nevada, Las Vegas
2. Buena Vista University
3. California State Polytechnic University, Pomona



Email


- We use email daily
- It's helpful for collaborative writing



Email

- Send and Share Information
- Asynchronous
- Show Relationships
- Stored and Organized
- Searchable
- Free

Microsoft Word



Microsoft Word

The screenshot displays the Microsoft Word interface with a document titled "google docs file screen shots 1 - Microsoft Word". The document content includes a section header and a list of links, followed by a paragraph of text. Several redaction boxes and annotations are present:

- Formatted: Font: Italic** - points to the section header *The Common Symptoms of Schizophrenia*.
- Deleted:** Note: please use as a reference only, not as a diagnostic tool. Only a doctor can diagnose schizophrenia, or any other psychiatric disorder. Many of the common signs/symptoms are also present in healthy people, usually to a lesser degree. - points to the first two list items.
- Deleted: by** - points to the word "commonly" in the paragraph.
- Deleted: affecting the most fundamental human attributes: language, thought, perception, affect, and sense of self.** - points to the phrase "with the thought that" in the paragraph.
- Deleted: and** - points to the word "or" in the paragraph.
- Formatted: Font color: Auto** - points to the text "Diagnostic and Statistical Manual of Mental Disorders DSM-IV-TR" in the paragraph.

The status bar at the bottom shows "Page 1 Sec 1 1/1 At 2.7" Ln 8 Col 29" and the Windows taskbar at the bottom right shows the time "7:48 PM".

Microsoft Word

The screenshot displays the Microsoft Word interface with the 'Final Showing Markup' view. The document content is as follows:

The Common Symptoms of Schizophrenia

- [The First Signs of Schizophrenia - Personal Stories](#)
 - [A comprehensive list of early signs](#) - compiled by a [schizophrenia.com member](#).
- [The Importance of Keeping a Journal - For best diagnosis and recovery of person with schizophrenia](#)
- [Early Predictions of Schizophrenia are Possible](#) (BBC News, January 05)
- Symptoms of Schizophrenia

Schizophrenia is commonly characterized with the thought that profound disruption in cognition and emotion. The array of symptoms, while wide ranging, frequently includes psychotic manifestations, such as hearing internal voices or experiencing other sensations not connected to an obvious source (hallucinations) or assigning unusual significance or meaning to normal events or holding fixed false personal beliefs (delusions). No single symptom is definitive for diagnosis; rather, the proper diagnosis encompasses a pattern of signs and symptoms, in conjunction with impaired occupational or social functioning (Source: DSM-IV -available for purchase on Amazon.com [Diagnostic and Statistical Manual of Mental Disorders DSM-IV-TR](#)).

Symptoms are typically divided into positive and negative symptoms because of their impact on diagnosis and treatment. Positive symptoms

Annotations and comments are shown on the right side of the document:

- Formatted: Font: Italic** (pointing to the title)
- Comment [L1]: Change word** (pointing to 'member')
- Deleted:** Note: please use as a reference only, not as a diagnostic tool. Only a doctor can diagnose schizophrenia, or any other psychiatric disorder. Many of the common signs/symptoms are also present in healthy people, usually to a lesser degree. (pointing to the first list item)
- Deleted:** by (pointing to 'with the thought that')
- Deleted:** affecting the most fundamental human attributes: language, thought, perception, affect, and sense of self. (pointing to 'The array of symptoms')
- Deleted:** and (pointing to 'or assigning')
- Comment [L2]: Maybe capitalize** (pointing to 'proper')
- Formatted: Font color: Auto** (pointing to 'Diagnostic and Statistical Manual')
- Comment [L3]: Normal** (pointing to 'positive')

The status bar at the bottom shows: Page 1, Sec 1, 1/1, At 3.5", Ln 12, Col 72, REC TRK EXT OVR, English (U.S.). The Windows taskbar at the bottom shows the start button and several open applications, with the time 7:55 PM.



Wiki

- Free
- Web-based
- Simultaneous Editing
- Tables, Plug-ins, Additional Features
- Templates
- Platform Independent
- Multiple Levels of Access

Wiki

jacquinedavania wiki - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://jacquinedavania.pbwiki.com/FrontPage

My PBwiki | jacqueline davanaia | Log out

jacquinedavania | FrontPage

Home Edit page New page Comments Files

Search wiki:

[Add features](#) [Settings](#) [Help](#)

The wiki software and programming idea is an open-source software program. Open-source is a program where the source-code is available to the public free of charge.

QuickStart Recent Activity SideBar

Create a new page

- Create a classroom
- Create a syllabus
- Create a group project
- Use another template

Share this Full Reader

http://jacquinedavania.pbwiki.com/?full_acc

[edit]

FusionCharts

Results of men and women LEAS scores

Category	Women	Men
Mean	40K	38K
Medium	30K	28K
SD	25K	15K
Mode	50K	45K

Score

Values

Women Men

gadgets powered by Google

help adding events | shortcuts! detailed entry

Add a new event here...

Sun 16 Mon 17 Tue 18 Wed 19 Thu 20 Fri 21 Sat 22


http://jacquinedavania.pbwiki.com/FrontPage?edit=1

start jacquinedavania wik... 4 Software Tools for ... Document2 - Microsof... 2:08 PM

Wiki Edit Page

The screenshot shows a Mozilla Firefox browser window with the title bar 'jacquinedavania - Editing - Mozilla Firefox'. The address bar contains the URL 'http://jacquinedavania.pbwiki.com/FrontPage?edit=1'. The page content includes a header 'jacquinedavania | Editing FrontPage' with a 'New features! Switch to Classic Mode' link. A rich text editor toolbar is visible above the main text area. The main text reads: '**The wiki software and programming idea is an open-source software program. Open-source is a program where the source-code is available to the public free of charge.**'. Below this is a placeholder for an image of the Google logo and a 'Calendar' plugin. At the bottom of the editor, there are 'Save' and 'Cancel' buttons, and a checkbox for 'Add this feature instantly!' with a 'Lock page' link.

Wiki



The screenshot shows a Mozilla Firefox browser window titled "jacquinedavania - Editing - Mozilla Firefox". The address bar contains the URL "http://jacquinedavania.pbwiki.com/wiki+project?template=Group%20project&edit=1&new=1&folder=". The page content includes a header "jacquinedavania | Editing wiki project" with links for "New features!" and "Switch to Classic Mode". A rich text editor toolbar is visible above the main text area. The main text area contains the following content:

Group Project

[<toc> Table Of Contents](#)

Working together using this wiki

Think of this wiki as a shared online whiteboard. Your entire group can share information using this wiki, making your research accessible to everyone. Play around with this wiki: Notice how you can add comments to a page, see what people have changed, and edit all the text.

Group members

- Jesse ([AIM: exampleaimaddress](#))
- Chris ([email me](#))
- Dana
- Pat

Sources

1. Source 1
2. Source 2
3. Source 3
4. Source 4

Source Name	Page #	Quote
Encyclopedia of Stars	44, 46	"The stars are the heavens"

Meetings

When should we meet?

Add new features instantly! [Hide page](#) [Lock page](#)

The Windows taskbar at the bottom shows the Start button, several application icons, and the system tray with the time 2:23 PM.



Google Docs

Some Features are the Same as Wikis

- Free
- Easy to Use
- Web-based
- Platform Independent
- Simultaneous Editing
- Multiple Levels of Access




Google Docs

Unique Features

- Allows Text Documents, Spreadsheets, Presentations
- Can Save in a Variety of Formats
- Real Time Presentations

Documents, Spreadsheets, Presentations




The screenshot shows the Google Docs interface within a Microsoft Internet Explorer browser window. The browser's address bar displays the URL <http://docs.google.com/#all>. The page header includes navigation links for Gmail, Calendar, Documents, Photos, Reader, and Web, along with the user's email address kaulei1@gmail.com and links for New Features, Settings, Help, and Sign out. A search bar is present with "Search Docs" and "Search the Web" buttons.

The main content area features a toolbar with options: New, Upload, Share, Move to, Hide, Delete, Rename, and More actions. Below the toolbar is a table listing documents and spreadsheets. The table has columns for Name, Folders / Sharing, and Date.

	Name	Folders / Sharing	Date
TODAY			
<input type="checkbox"/>	Schizophrenia Treatment	Schizophrenia me, Christopher_yuh, Jack_johnson_unlv	9:51 am me
<input type="checkbox"/>	Schizophrenia Diagnosis	Schizophrenia me, Christopher_yuh, Jack_johnson_unlv	9:51 am me
<input type="checkbox"/>	Handout	Collaboration symposium me, Jacqueline.davania	9:39 am me
<input type="checkbox"/>	Presentation slides for Symposium	Collaboration symposium me, Jacqueline.davania	9:38 am me
EARLIER THIS YEAR			
<input type="checkbox"/>	List of things I need to do	me	Feb 20
<input type="checkbox"/>	Schedule	Schizophrenia me, Christopher_yuh, Jack_johnson_unlv	Feb 20

At the bottom of the interface, it indicates "Select: All 6, None" and "Showing items 1-6 of 6". The Windows taskbar at the bottom shows the Start button, several open applications (including Google Docs and Yahoo! Registration), and the system clock displaying 9:52 AM.

Documents



Schizophrenia Diagnosis - Google Docs - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Links Address http://docs.google.com/Doc?docid=dd6z27kp_6g5qbjf2&hl=en Go

Google Go Bookmarks 50 blocked Check AutoLink AutoFill Send to Settings

Google Docs **kaulei1@yahoo.com** | [Docs Home](#) | [Help](#) | [Sign out](#)

Schizophrenia Diagnosis edited on March 23, 2008 10:54 PM by Kaulei1

File Edit Insert Revisions Edit HTML Preview Print Email Share Publish

Verdana 10pt B I U A Link

Schizophrenia Symptoms and Diagnosis

There is currently no physical or lab test that can absolutely diagnose schizophrenia - a psychiatrist usually comes to the diagnosis based on clinical symptoms. What physical testing *can* do is rule out a lot of other conditions ([seizure disorders](#), [metabolic disorders](#), [thyroid dysfunction](#), [brain tumor](#), [street drug use](#), etc) that sometimes have similar symptoms.

Current research is evaluating possible physical diagnostic tests (such as a [blood test for schizophrenia](#), [special IQ tests for identifying schizophrenia](#), [eye-tracking](#), [brain imaging](#), 'smell tests', etc), but these are still in trial stages at only a few universities and companies and are not yet widely used. It will likely be a few years before these on the market, and adopted by hospitals, etc.

People diagnosed with schizophrenia usually experience a combination of **positive** (i.e. hallucinations, delusions, racing thoughts), **negative** (i.e. apathy, lack of emotion, poor or nonexistent social functioning), and **cognitive** (disorganized thoughts, difficulty concentrating and/or following instructions, difficulty completing tasks, memory problems). Please refer to the information available on this page ([see below](#)) for common signs and symptoms, as well as consumer/family stories of how they identified schizophrenia in their own experiences. However, only a psychiatrist can make a diagnosis and start a treatment program. If you are experiencing symptoms are bothersome, debilitating, or harmful, please we recommend you try the [on-line Screening test for identification of early schizophrenia symptoms \(click here to go to the test\)](#) that we offer on this web site. The on-line test is also available in an ["off-line version" for print-out](#) (valuable for testing a family member who is not on-line, or who may not like the site of a schizophrenia-focused web site) - and the responses can then be entered into the on-line version of the test for scoring. If you test positive you may want to go to an [early psychosis diagnosis and treatment center](#) or make an appointment with your doctor and/or a psychiatrist.

The First Steps Towards Proper Diagnosis

The first step in getting treatment for schizophrenia is getting a correct diagnosis. This is important to do quickly because [research has shown that the sooner you get diagnosed and treated, the better the long-term outcome](#) (which is the same for all serious illnesses). This can be a more difficult than it might seem, because the symptoms of schizophrenia can be similar at times to other major brain disorders, such as bipolar disorder (manic-epression) or even major depression. Another issue is that a person with schizophrenia may be paranoid or believe that nothing is wrong with them, and therefore may not want to go to see a doctor. Because many regular family doctors may not be very familiar with schizophrenia, it is important to see a good psychiatrist that is experienced in the diagnosis and treatment of schizophrenia.

The best place for proper diagnosis of psychosis (hallucinations & delusions) and schizophrenia - are at the increasing number of centers focused on early diagnosis and treatment of psychosis and schizophrenia. See the following list to find out if there is one in your area: [Worldwide list of](#)

Done Internet

start Google Docs - All item... University of Nevada... Schizophrenia Diagno... 2:36 PM

Save in a Variety of Formats

Schizophrenia Diagnosis - Google Docs - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address http://docs.google.com/Doc?docid=dd6z27kp_6g5qbgjf2&hl=en

Google Docs BETA

kaulei1@gmail.com | Docs Home | Help | Sign out

Schizophrenia Diagnosis edited on March 24, 2008 1:54 AM by Kaulei1

Share Save Save & close

File Edit Insert Format Tools Table

New document 10pt B I U A Link

Save Ctrl+S

Save as new copy

Rename

Revision history

Delete

Download file as... PDF Word HTML (zipped) RTF Text OpenOffice

Print... Ctrl+P

Printer-friendly HTML

make a diagnosis and start a treatment plan. You can also try the [on-line Screening Test](#). The on-line test is also available at the site of a schizophrenia-focus center. If you test positive you may want to go to an [early psychosis diagnosis and treatment center](#) or make an appointment with your doctor and/or a psychiatrist.

The First Steps Towards Proper Diagnosis

The first step in getting treatment for schizophrenia is getting a correct diagnosis. This is important to do quickly because [research has shown that the sooner you get diagnosed and treated, the better the long-term outcome](#) (which is the same for all serious illnesses). This can be a more difficult than it might seem, because the symptoms of schizophrenia can be similar at times to other major brain disorders, such as bipolar disorder (manic-depression) or even major depression. Another issue is that a person with schizophrenia may be paranoid or believe that nothing is wrong with them, and therefore may not want to go to see a doctor. Because many regular family doctors may not be very familiar with schizophrenia, it is important to see a good psychiatrist that is experienced in the diagnosis and treatment of schizophrenia. The best place for proper diagnosis of psychosis (hallucinations & delusions) and schizophrenia - are at the increasing number of centers focused on early diagnosis and treatment of psychosis and schizophrenia. See the following list to find out if there is one in your area: [Worldwide list of](#)

Done Internet

start Google Docs - ... Microsoft Pow... Collaborative ... Google Docs - ... Schizophrenia ... 8:02 PM

Real Time Presentations

http://docs.google.com - Symposium power point - Google Docs - Microsoft Internet Explorer

Google Docs

Schizophrenia Diagnosis

There is currently no physical or lab test that can absolutely diagnose schizophrenia - a psychiatrist usually comes to the diagnosis based on clinical symptoms. What physical testing can do is rule out a lot of other conditions ([bipolar disorders](#), [metabolic disorders](#), [thyroid dysfunction](#), [brain tumor](#), [street drug use](#), etc) that sometimes have similar symptoms.

Current research is evaluating possible physical diagnostic tests (such as a [blood test for schizophrenia](#), [social IQ tests for identifying schizophrenia](#), [eye-tracking](#), [brain imaging](#), [small tests](#), etc), but these are still in trial stages at only a few universities and companies and are not yet widely used. It will likely be a few years before these are on the market, and adopted by hospitals, etc.

People diagnosed with schizophrenia usually experience a combination of **positive** (i.e. hallucinations, delusions, racing thoughts), **negative** (i.e. apathy, lack of emotion, poor or nonexistent social functioning), and **cognitive** (disorganized thoughts, difficulty concentrating and/or following instructions, difficulty completing tasks, memory problems). Please refer to the information available on this page ([see below](#)) for common signs and symptoms, as well as consumer/family stories of how they identified schizophrenia in their own experiences. However, only a psychiatrist can make a diagnosis and start a treatment program. If you are experiencing symptoms are bothersome, debilitating, or harmful, please we recommend you try the [on-line screening test for identification of early schizophrenia symptoms](#). Click [here](#) to go to the tests that we offer on this web site. The on-line test is also available in an ["off-line version"](#) for print-out (valuable for testing a family member who is not on-line, or who may not like the site of a schizophrenia-focused web site) - and the responses can then be entered into the on-line version of the test for scoring. If you test positive you may want to go to an [early psychosis diagnosis and treatment center](#), or make an appointment with your doctor and/or a psychiatrist.

The First Steps Towards Proper Diagnosis

The first step in getting treatment for schizophrenia is getting a correct diagnosis. This is important to do quickly because [research has shown](#) that the sooner you are diagnosed and treated, the better the long-term outcomes (which is the same for all serious illnesses). This can be a more difficult than it might seem, because the symptoms of schizophrenia can be similar at times to other major brain disorders, such as bipolar disorder (manic-depression) or even major depression. Another issue is that a person with schizophrenia may be paranoid or believe that nothing is wrong with them, and therefore may not want to go to see a doctor. Because many regular family doctors may not be very familiar with schizophrenia, it is important to see a good psychiatrist that is experienced in the diagnosis and treatment of schizophrenia. The best place for proper diagnosis of psychosis (hallucinations & delusions) and schizophrenia - are at the increasing number of centers focused on early diagnosis and treatment of psychosis and schizophrenia. See the [Resources link for full list](#) if there is one in your area. [Michigan list of](#)

http://docs.google.com/Present?docid=dfcnd4cd_

You can present this online.
Share the URL above with people to include them in your audience.

Audience

Brian potts

me: This is a great screen shot
It can probably be improved with
resizing...

Google Docs: http://docs.google.com/Present?docid=dfcnd4cd_15hb4mcrfz

Done

start | Google... | Micros... | Collab... | Google... | (49 un... | Sympo... | http://... | 8:17 PM